



Quarter forecast — 9 families, ranges included

LINDBERGH FORMATION — 16 rue de Maillé, 91310 Montlhéry, France · Companies register (RCS) Evry 817 946 114

Document issued on 24/09/2026

Current error measured across 60 months · fictional document

Fictional document — demonstration example

This document is produced by the Blue Lemon Agent website to illustrate what an AI agent hands to its users. The companies, matters, amounts and people in it are invented. It has no legal, accounting or commercial value.

Fictional document, produced for demonstration. **Forecast error is the gap between what was forecast and what was actually sold, as a percentage of the actual.** No value in this document is given without **its range** and without **the depth of history** behind it.

The starting point: what the current method is worth

Measure	Value	Measurement base
Average error at 4 weeks	27 %	540 forecast/actual pairs — 9 families across 60 months
Average error at 8 weeks	34 %	Same base
Steadiest family	16 %	60 months

Measure	Value	Measurement base
Most promotional family	48 %	60 months — a company-wide average would have hidden this 1-to-3 spread

The quarter forecast, family by family

Family	Central value	Range	Width	Depth of history
Floor cleaners	41,200 units	37,800 - 44,600	± 8 %	60 months
Laundry	68,400	64,300 - 72,500	± 6 %	60 months
Glass cleaners	22,900	21,800 - 24,000	± 5 %	60 months
Kitchen cleaners	31,500	29,300 - 33,700	± 7 %	60 months
Baby range	9,800	8,400 - 11,200	± 14 %	22 months — the range is wider because the depth is shorter

A bare value reads as a promise; a value with its range turns into a stock decision. The width of each range is itself broken down in a separate document, assumption by assumption, with the weight of each in units.

Building a forecast moves from 60 % to 8 % of the exercise: nine days of work become a day and a half, and all 9 families are treated at the same level of detail instead of three.

Families whose range management wants tightened first: _____

isolation depends on the deployment mode set out in the quotation, no dedicated isolation being presumed; the encryption mechanisms in transit and at rest, their components and key management are those documented for the architecture chosen; roles and permissions are configured and accepted for the identities and systems actually connected; the events logged, their content, their retention period and who may access them are defined for the deployment chosen.