Settings sheet — replayed on 9 identical cases

LINDBERGH FORMATION — 16 rue de Maillé, 91310 Montlhéry, France · Companies register (RCS) Evry 817 946 114

Document issued on 09/11/2026

Ready to sign, in force at the next start-up · fictional document

Fictional document — demonstration example

This document is produced by the Blue Lemon Agent website to illustrate what an AI agent hands to its users. The companies, matters, amounts and people in it are invented. It has no legal, accounting or commercial value.

Fictional document, produced for the demonstration. **The sheet is not a suggestion: it is the setting the plant's own setters applied nine times, set down clearly and measured on its outcomes.** Bringing it into force belongs to the production manager.

The setting requested

Parameter	Change	Scope
Back pressure	**−3 bar**	Press 3 only
Holding time	**+0.4 seconds**	Press 3 only
When it applies	**Start of the 2 p.m. shift**	—

What the history says about this setting

Finding	Value	Reading
Cases where this setting was applied	**9**	By the plant's own setters
Return to target value	**38 minutes on average**	Measured continuously
Following batches scrapped	**0 out of 9**	—
Cases where a different setting was tried	**2**	**Both batches were sorted**

The enhanced inspection proposed alongside

Element	Value	Cost
Sampling frequency	**Every 15 minutes instead of every 2 hours**	—
Duration	4 hours	**40 minutes of laboratory time**
What it brings	—	**The proof that the setting has taken hold**

The second route, prepared in advance

If the temperature has not come down within 40 minutes, word goes out that minute and the second route's file is already assembled: the one from the two cases where the valve had to be changed. **The press 3 valve carries 2,100 hours on the CMMS counter; the nine previous replacements took place between 1,900 and 2,400 hours. Replacing it at the next planned shutdown, in eleven days, avoids doing it as an emergency on a Sunday.**

For the production manager to sign: bringing the sheet into force at the 2 p.m. start-up, and the chosen slot for replacing the valve: _____

LINDBERGH FORMATION — Blue Lemon Agent — Companies register (RCS) Évry 817 946 114 —
Legal notice (in French): bluelemonagent.ai/mentions-legales

Request a demo with your own documents

This document is a fictitious example. To see the agent work on your own documents, request a demo from its page.
https://bluelemonagent.ai/en/entreprises/cas-usage/agent-de-supervision-qualite-production

Scope of this document: the service operated by Blue Lemon Agent. For an agent deployed at your premises, the applicable location is that of the architecture set out in the quotation and verified before commissioning; local execution is announced only for the configuration explicitly described and accepted in the quotation; the applicable isolation depends on the deployment mode set out in the quotation, no dedicated isolation being presumed; the encryption mechanisms in transit and at rest, their components and key management are those documented for the architecture chosen; roles and permissions are configured and accepted for the identities and systems actually connected; the events logged, their content, their retention period and who may access them are defined for the deployment chosen.

LINDBERGH FORMATION — Blue Lemon Agent — Companies register (RCS) Évry 817 946 114 —
Legal notice (in French): bluelemonagent.ai/mentions-legales