



Halbran specification — before / after

LINDBERGH FORMATION — 16 rue de Maillé, 91310 Montlhéry, France · Companies register (RCS) Evry 817 946 114

Document issued on 24/09/2026

1 parameter amended · fictional document

Fictional document — demonstration example

This document is produced by the Blue Lemon Agent website to illustrate what an AI agent hands to its users. The companies, matters, amounts and people in it are invented. It has no legal, accounting or commercial value.

Fictional document, produced for demonstration. **This document does not say whether the change is acceptable.** That is a question for engineering; it equips the question, it does not settle it.

The two product sheets compared

Parameter	Sheet of 12/03/2023	Sheet of 21/07/2026	Difference
Material	EPDM	EPDM	—
Hardness	72 Shore A	68 Shore A	−4
Temperature range	−40 to +120 °C	−40 to +120 °C	—
Cord diameter	3.5 mm	3.5 mm	—
Commercial reference	7741-B	7741-B	unchanged

The commercial reference has not changed. That is what makes the difference invisible along the whole chain: the order, the receipt and the invoice all carry the same code, and only the technical sheet differs.

What the qualification file says

Item	Content	Source
Sealing test	Carried out in 2023	Report QUAL-2023-041
Seal hardness as a test input	72 Shore A	Report QUAL-2023-041, § 2.3
Test pressure	6 bar	Report QUAL-2023-041
Conclusion	Conforming	Report QUAL-2023-041

Hardness appears explicitly as an input parameter of the test. That is not an inference: it is a line of the report, reproduced here with its paragraph reference.

The question prepared for the supplier

"Your product sheet for reference 7741-B was updated on 21 July 2026 and states a hardness of 68 Shore A, against 72 on the sheet of 12 March 2023. The commercial reference is unchanged.

Is this a change of formulation, or a correction of the earlier sheet? If a change, from which batch does the delivered product carry this characteristic?"

The second question is what governs everything that follows. If it is a sheet correction, earlier deliveries were already at 68 — an entirely different subject from a change dating to July.

What is attached for engineering

View on the effect of 68 Shore A with regard to QUAL-2023-041: ☐ no effect · ☐ requalification required · ☐ further information needed:

Scope of this document: the service operated by Blue Lemon Agent. For an agent deployed at your premises, the applicable location is that of the architecture set out in the quotation and verified before commissioning; local execution is announced only for the configuration explicitly described and accepted in the quotation; the applicable isolation depends on the deployment mode set out in the quotation, no dedicated isolation being presumed; the encryption mechanisms in transit and at rest, their components and key management are those documented for the architecture chosen; roles and permissions are configured and accepted for the identities and systems actually connected; the events logged, their content, their retention period and who may access them are defined for the deployment chosen.