Requests for documents — 11 second requests

LINDBERGH FORMATION — 16 rue de Maillé, 91310 Montlhéry, France · Companies register (RCS) Evry 817 946 114

Document issued on 09/11/2026

84 requests in 2025 · fictional document

Fictional document — demonstration example

This document is produced by the Blue Lemon Agent website to illustrate what an AI agent hands to its users. The companies, matters, amounts and people in it are invented. It has no legal, accounting or commercial value.

Fictional document, produced for demonstration. **A second request signals that the first was not exhaustive.** That is what article R*423-38 requires of it, and it is what makes these eleven files instructive.

Quarter	Requests for documents	Followed by a second	Share
Q1 2025	19	3	16%
Q2 2025	23	**4**	**17%**
Q3 2025	21	2	10%
Q4 2025	21	2	10%
Total	**84**	**11**	**13%**

The forgotten document, in all eleven cases

Document forgotten in the first request	Cases
Estate developer's no-objection certificate	**4**
Signatory's authority	**3**
Fire safety statement	**2**
Others	2

> **Nine of the eleven concern one of the same three documents.** These are not eleven oversights: it is a checklist missing three lines.

Why those three

Document	Why it gets forgotten
Developer's no-objection	Only required if the plot is on an estate — a condition to check before asking
Signatory's authority	Only required if the signatory is not the applicant
Fire safety statement	Only required for certain uses

All three are conditional. A checklist that does not separate systematic documents from conditional ones lets the conditional ones through — which is exactly what the current schedule produces.

> **Request a demo with your own documents**
> This document is a fictitious example. To see the agent work on your own documents, request a demo from its page.
> https://bluelemonagent.ai/en/secteur-public/solutions/agent-ia-instruction-autorisations-urbanisme

isolation depends on the deployment mode set out in the quotation, no dedicated isolation being presumed; the encryption mechanisms in transit and at rest, their components and key management are those documented for the architecture chosen; roles and permissions are configured and accepted for the identities and systems actually connected; the events logged, their content, their retention period and who may access them are defined for the deployment chosen.